



**VIEWONHOME**




**Shield 200**  
Quick Start Guide

[www.viewonhome.eu](http://www.viewonhome.eu)



# VIEWONHOME



## Insert the SIM card in the control panel

You will need a SIM card if you wish to interact with your Shield200 box via SMS or phone calls.

### Important

Please make sure the SIM card is not protected by a pin code.

We advise you to choose a subscription plan with unlimited SMS and 1-2 hours of call per month.


The SIM card must be compatible with GSM/GPRS 2G network.

Contact your carrier for for more information.





# VIEWONHOME



## Turn the control panel on

1. Plug the power adapter to an 230V AC outlet
2. Plug the output connector of the power adapter into the adapter input on the side of your control panel
3. Push the power switch on your control panel


### Important

Make sure you have inserted the SIM card in the Shield 200 control panel before turning it on.





# VIEWONHOME




## Get your app ready

1. Download the [ViewOnHome](#) app on your smartphone
2. Open the ViewOnHome app and click on Quick Register to setup your account
3. Log in, click the ☰ icon and choose AlarmSys
4. Press the + icon and insert your preferred alarm name and SIM card phone number



# VIEWONHOME



## Register your phone number(s) via SMS


This step enables you to define the phone number(-s) you want SMS sent to when the alarm is triggered.

Only stored numbers can control and configure the system.

1. Send "6" by SMS to the phone number of the SIM card in the control panel. The control panel replies with a SMS containing every phone number registered.
2. Copy and paste this SMS and edit it to add your phone numbers. Then send the SMS back to the control panel.
3. After sending you should receive "OK" as confirmation.



# VIEWONHOME



## Register your phone number(s) via APP


This step enables you to define the phone number(-s) you want SMS sent to when the alarm is triggered.

Only stored numbers can control and configure the system.

1. Insert your phone numbers
2. Make sure the “📧” icon for SMS storing is highlighted
3. Press “✓” to send the numbers
3. After sending you should receive “OK” as confirmation.



# VIEWONHOME



- 0001 English
- 0002 French
- 0004 Danish
- 0006 Italian
- 0007 Swedish
- 0008 German
- 0009 Spanish
- 0010 Finnish
- 0011 Norwegian
- 0016 Czech

## Change the system language

Send "0001" by SMS to the control panel to set the system language to English.

The control panel replies "OK" as confirmation.

### Important

Before sending the SMS, make sure the GSM reception is ready. The reception is ready when the indicator lamp blinks once every 2 seconds.





# VIEWONHOME

## Tips for accessories

1. We recommend to mount motion detectors at a height of 2.2m.
2. Petsafe detectors does not detect animals under 25 kg.
3. Avoid mounting motion detectors in areas with a large amount of metal, electrical or heat devices.
4. Mount the door/window contact with less than 1cm space between the 2 parts to ensure correct operation.

### Understanding standby mode

If the detector is triggered multiple times within 3 minutes, it will switch to standby mode to save power. During standby mode the sensor is inactive. If new movement is detected during this period the standby mode is extended by 3 minutes.

If no movement is detected the sensor is activated again.



## Connect more accessories

1. Press the “ⓧ” button on the side of your control panel and trigger the accessory.
2. If you hear one beep; the accessory is now registered.
3. If you hear two beeps; the accessory was registered already.

### Full Manual

For more settings, please refer to the user manual available for download on [www.viewonhome.eu](http://www.viewonhome.eu)





# VIEWONHOME

## Memo card

Detach this card and keep it with you at all time for quick access to the most used SMS codes.

Memo		
		
by SMS	Arm the system	1
	Disarm the system	0
	Home Mode	2
	System status	00
by phone call	Arm the system	1
	Disarm the system (stop the siren automatically)	0
	Start audio surveillance (stop the siren automatically)	*
	Start the conversation	3
	Start the siren	9
	Stop the siren	6